
F	Reference	Version	Document	Lang.	Page	
		17/07/2025	BJÖRK Baby Changing Station User Manual	UK	1 of 10	DAN

BJÖRK Baby Changing Station

Assembly instructions and user manual



Reference	Version	Document	Lang.	Page	
	17/07/2025	BJÖRK Baby Changing Station User Manual	UK	2 of 10	



Contents:

Foreword	2
General information	2
Intended use	2
Manufacturer's product liability	2
Remarks conc. EN12221	2
Safety and warnings	2
Unpacking and identification of parts	3
Mounting on wall	3
User instructions	6
Cleaning instructions	7
Inspection, maintenance and service	7
Fault-finding	7
Spare parts	8
Technical data	9
Declaration of compliance	10

Foreword

Thank you for buying your equipment from DAN DRYER A/S and congratulations on your new changing table. Install, use and maintain the unit according to our instructions for a long and satisfactory service life.

General information

The product can only be installed and used in accordance with this guide and our safety instructions. All users of the product must have read and understood this guide. If you have any questions concerning the use or maintenance of your changing table, you are welcome to contact us.

Intended use

The DAN DRYER changing table is designed for use in public and commercial washrooms. Use only the changing table for babies and young children. Total weight on the table cannot exceed 80 kg.

Manufacturer's product liability

DAN DRYER cannot be held liable if the product is used or installed in any other manner than that stated in this guide.

NB:

The product is designed for use indoors in a dry environment and must NOT be used in damp or high chlorine environments.

Remarks conc. EN 12221

This product is designed to comply with EU standard EN 12221-1:2008+A1:2013, type 1 According to the standard, type 1 changing units can be used for infants from 0-12 months with a maximum weight of 11 kg.

DAN DRYER guarantees a maximum load of 80 kg.

Safety precautions

- Prior to use: always check:
- total weight will not exceed 80 kg (evenly distributed)
- the product is clean.
- the product is not damaged or in any other way cpmpromised to the extent that using it is hazardous.

WARNING!

Never leave a child unsupervised on the table!

Reference	Version	Document	Lang.	Page	
	17/07/2025	BJÖRK Baby Changing Station User Manual	UK	3 of 10	




Unpacking and identification of parts:

Unpack the product with care and verify all parts are present according to the drawings.

Tools for assembly::

- Torx key T20 (fitting the front cover)
- Torx key T25 (fitting the bumper)
- Electric drill
- Spirit level

Tools needed for wall-mounting will depend on the screws and plugs used. See the section below.



Mounting on wall:

When choosing position, remember to allow for the depth of the table when lowered, and its height when folded up. Refer to the dimension diagram at the end of this manual.

The table must be positioned such that the user is not exposed to a risk of entrapment when folding it up or down.


Do not mount the table near strong sources of heat, e.g. fireplaces, stoves, etc.

Important:

The table may only be mounted to a wall with proper interior blocking to bear the weight of the unit (17 kg) and the maximum load of (80 kg).

Select the correct mounting fasteners for the specific wall type. Consult an expert (e.g. your local builder's merchants) for advice. Screws in the wall bracket are exposed to a force equivalent to 65 kg of pull each at maximum load on the table when 4 screws are used in the upper holes.

We recommend to mount fasterners in all 12 holes to obtain maximum strength and stability.




F	Reference	Version	Document	Lang.	Page	
		17/07/2025	BJÖRK Baby Changing Station User Manual	UK	4 of 10	DAN


Mounting on wall (contd.)


Mounting:

- Holes for mounting the wall bracket should be marked up and drilled using the drill template enclosed.
- 2. If used, wall plugs should be inserted in the holes drilled.
- 3. Screws inserted in the four upper plugs should project 5 mm from the wall surface when screwed in.
- 4. Hang the table on the wall using the keyholes (A) at the top of the wall bracket.



- 5. Fold the table down carefully, and insert the remaining screws (B) at the bottom of the wall bracket.
- 6. Fasten all screws (A) and (B) tightly to ensure the wall bracket is securely fixed to the wall.
- 7. Fit the front cover (D) and fasten in place using the 4 M4 x 10 screws supplied (C)
- 8. Check that the table can fold up and remain in the upright position.
- 9. Finish off by veryfying the wall bracket is securely fixed to the wall.







Reference	e Version	Document	Lang.	Page	Î Î
	17/07/2025	BJÖRK Baby Changing Station User Manual	UK	5 of 10	DAN

Mounting on wall (contd.)

- 10. Determine the appropriate language version and remove label from the sheet.
- 11. Warning label is placed as shown.



- 12. Hole for mounting of bumber (H) should be drilled at the position shown below and wall plug (E) inserted.
- 13. Mount the brass sleeve (F) on the wall, using the screw (G).
- 14. Push bumper (H) onto the brass sleeve (F) and secure with two screws (J).



Reference	Version	Document	Lang.	Page	
	17/07/2025	BJÖRK Baby Changing Station User Manual	UK	6 of 10	



User instructions

The table can be folded down to a horizontal position by carefully pulling the top edge downwards. Make sure the table is fully extended into its horizontal position before use.

This table is not intended to be used with a mattress. Use a paper towel or the like instead.

Always check that the table surface is clean and undamaged before use.


Do not use if damaged, defective or if not securely fixed to the wall.

Fold the table into its upright position after use by lifting the front edge of the table and carefully raising it to the vertical.



If the table is folded up very aggressively it may cause damage to the wall.

Therefore, always mount the bumper as described in the paragraph "Mounting on wall"



WARNING!

Never leave a child unsupervised on the table!



Reference	Version	Document	Lang.	Page	DAN
	17/07/2025	BJÖRK Baby Changing Station User Manual	UK	7 of 10	

Cleaning instructions

The table can be cleaned using a damp cloth. Use only neutral, liquid cleaning products that do not contain solvents. Do not hose or high-pressure wash with water or other liquids.

Inspection, maintenance and service

Maintenance and service can only be performed by trained personnel.

We recommend inspecting the table regularly and at least once annually according to the following:


- Check that the table is securely fixed to the wall, that all moving parts work correctly and are in a safe condition.
- Check that all screwed assemblies are tight.
- Check that the table can fold up and remain in the upright position. A force equivalent to approx. 3 kg is normally required to fold down the table.
- Check that the table cannot drop beyond horizontal when folded down. Normally, the table will stay in any position when released.
- If the table is defective, it must be repaired and restored to usable condition immediately.

Fault-finding

Problem:	Solution:		
The table cannot remain vertical.	The springs are worn and should be replaced immediately. Do not allow use of the table before it is repaired.		
The table drops freely to the horizontal when folded down.	The springs are worn and should be replaced immediately. Do not allow use of the table before it is repaired.		
The table is not horizontal when folded down.	 The table is not securely fixed to the wall. Check mountings and repair immediately. Do not allow use of the table before it is repaired. More than the maximum permitted weight of 80 kg has been placed on the table, which has been permanently damaged as a result. Do not allow use of the table before it is repaired. Contact DAN DRYER or our dealer. 		

Reference	Version	Document	Lang.	Page	Î Î
	17/07/2025	BJÖRK Baby Changing Station User Manual	UK	8 of 10	DAN

Spare parts:



Pos.	Item number	Description
(1)	32002	Wall bracket complete
(2)	32102	Front cover complete (incl. screws)
(3)	32000	Changing surface
(4)	32104	Left cover plate (incl. screws)
(5)	32105	Right cover plate (incl. screws)
(6)	32106	Left rotating arm (complete, incl. all springs, stop, plastic lock and screws)
(7)	32107	Right rotating arm (complete, incl. all springs, stop, plastic lock and screws)
(8)	32108	Bumper (complete incl. plugs and screws) (optional colours: black / white)

Use only original accessories and spare parts from DAN DRYER or our dealers.

WARNING!

The table contains sprung elements that can be released under considerable force if dismantled and can cause injury.

Maintenance and repair that requires dismantling the table can only be performed by trained personnel to ensure safety.

F	Reference	Version	Document	Lang.	Page	
		17/07/2025	BJÖRK Baby Changing Station User Manual	UK	9 of 10	DAN


Technical data:

Force for folding down : \leq 25 N Force for folding up : \leq 25 N

Total net weight : approx. 17 kg.

Max. load at wall : 80 kg. (Evenly distributed across table surface)

Dimensions diagram:



Reference	Version	Document	Lang.	Page	BAN
	17/07/2025	BJÖRK Baby Changing Station User Manual	UK	10 of 10	DAYER

_

EC declaration of conformity of interoperability constituents

DK/00000014330380/2025/000001

We.

Applicant: DAN DRYER A/S Tåsingevej 2, 8940-Randers SV Denmark Authorised Representative:

Susanne Friis Eden Managing Director

Of the applicant DAN DRYER A/S
Tåsingevej 2,
8940-Randers SV
Denmark

Declare under our own responsibility that the following interoperability constituent: DAN DRYER BJÖRK/TSI-PRM Baby changing table/ ART. NR. 3200 (or 32XX, XX=color code)

to which this declaration refers complies with the EU Directives and relevant Technical Specifications for Interoperability:

Directive 2008/57/EC of 17.6.2008 on the interoperability of the rail system within the Community, as amended by Directives 2009/131/EC of 16 October 2009, 2011/18/EU of 1 March 2011, 2013/9/EU of 11 March 2013 and 2014/38/EU of 10 March 2014 and 2014/106/EU of 5 December 2014. Directive 2001/95/EC on general safety of 12/2001

1300/2014 TSI Accessibility of the Union's rail system for people with disabilities and people with reduced mobility of 18/11/2014

The following procedures have been followed in order to declare conformity: *Module CA according to the applicable TSI directive*

List of Annexes DAN DRYER TSI-PRM Certificate TÜV NORD certificate Installation instruction

Done on: 19/02/2025

Applicant(s): DAN DRYER A/S

Authorised Representative(s):

Susanne Friis Eden